

European Solar Energy Storage

Duperthal safety storage cabinet Egypt



GEL Battery




Lithium Battery



Container storage system



Power Battery



Duperthal safety storage cabinet Egypt

18650 3.7V
 Li-ion
 RECHARGEABLE BATTERY
2000mAh




Type 90

Safety storage cabinets. Type 90 - flammable liquids. Cookie preferences . This website uses cookies, which are necessary for the technical operation of the website and are always set. Other cookies, which increase the comfort when using this website, are used for direct advertising or to facilitate interaction with other websites and social

CLASSIC LINE , Safety storage cabinets

classical door technology (door handle) for the storage of flammable liquids type testing by MPA/TÜV SÜD according to DIN EN 14470-1, DIN EN 16121 and DIN EN 16122, EK5/AK4 21-01:2021 and AfPS GS 2019: 01 PAK mark of approval: GS/CE mark, high quality mark of approval by TÜV SÜD construction and colour:



BASIC line safety storage cabinets

DÜPERTHAL safety storage cabinets BASIC line for a fire protection of 30 minutes - get in touch! To partner portal. info@dueperthal . For a free consultation +49 6188 9139-0. Working safety Equipotential bonding screws as a standard in the cabinet help prevention of spark formation. TESTED SAFETY AT THE HIGHEST LEVEL. Details.

ECO line safety storage cabinets

DÜPERTHAL safety storage cabinets ECO line

with classic door technology - get in touch! To partner portal. info@dueperthal . For a free consultation +49 6188 9139-0. DÜPERTHAL . The Company . Sustainability and environment . News . Webinars . DÜPERTHAL connect . Products . Safety storage cabinets . Safety containers .



Type 30

Safety storage cabinets. Type 30 - flammable liquids. Cookie preferences . This website uses cookies, which are necessary for the technical operation of the website and are always set. Other cookies, which increase the comfort when using this website, are used for direct advertising or to facilitate interaction with other websites and social

DÜPERTHAL safety solutions , DÜPERTHAL

Protecting employees and the environment is the highest priority when handling hazardous substances. Therefore, DÜPERTHAL safety storage cabinets guarantee compliance with the requirements of the Occupational Safety and ...



HSC UTS ergo line safety storage cabinets

Safety storage cabinets for combined storage in the smallest possible space For compact storage of acids, lye and flammable liquids, we recommend the HSC UTS ergo line. Along with 90 minutes of fire protection, this versatile under-bench solution offers a new dimension of safety and comfort for your workplace.



Type 90

Safety storage cabinets. Type 90 - combined storage. Cookie preferences . This website uses cookies, which are necessary for the technical operation of the website and are always set. Other cookies, which increase the comfort when using this website, are used for direct advertising or to facilitate interaction with other websites and social



UTS line , Type 90

One-hand door technology (Push-to-open). For the storage of flammable liquids. Type testing by MPA/TÜV SÜD according to DIN EN 14470-1, DIN EN 16121 and DIN EN 16122, EK5/AK4 21-01:2021 and AfPS GS 2019: 01 PAK Mark of ...

CLASSIC line pure , Type 90

Safety storage cabinets. Type 90 - flammable liquids. Cookie preferences . This website uses cookies, which are necessary for the technical operation of the website and are always set. Other cookies, which increase the comfort when using this website, are used for direct advertising or to facilitate interaction with other websites and social



PREMIUM line safety storage cabinets

DÜPERTHAL safety storage cabinets PREMIUM line with folding door technology - get in touch! To partner portal. info@dueperthal . For a free consultation +49 6188 9139-0. DÜPERTHAL . The Company . Sustainability and environment . News . Webinars . DÜPERTHAL connect . Products . Safety storage cabinets .



CLASSIC line safety storage cabinets

DÜPERTHAL safety storage cabinets CLASSIC line with wing door technology - get in touch! To partner portal. info@dueperthal . For a free consultation +49 6188 9139-0. DÜPERTHAL . The Company . Sustainability and environment . News . Webinars . DÜPERTHAL connect . Products . Safety storage cabinets .



COOL line safety storage cabinets , DÜPERTHAL

DÜPERTHAL safety storage cabinets COOL line with classic door technology - get in touch! To partner portal. info@dueperthal . For a free consultation +49 6188 9139-0. DÜPERTHAL . The Company . Sustainability and environment .

News . Webinars . DÜPERTHAL connect .
 Products . Safety storage cabinets .



ACID line , Non-flammable substances , Safety storage cabinets

Safety storage cabinets. Non-flammable substances. Cookie preferences . This website uses cookies, which are necessary for the technical operation of the website and are always set. Other cookies, which increase the comfort when using this website, are used for direct advertising or to facilitate interaction with other websites and social



HSC Hazardous Substances Centre safety storage cabinets

DÜPERTHAL safety storage cabinets HSC Hazardous Substances Centre - learn more! To partner portal. info@dueperthal . For a free consultation +49 6188 9139-0. DÜPERTHAL . The Company . Sustainability and environment . News . Webinars . DÜPERTHAL connect . Products . Safety storage cabinets . Safety containers . Emergency products .

UTS line , Type 90

One-hand door technology (Push-to-open). For the storage of flammable liquids. Type testing by MPA/TÜV SÜD according to DIN EN 14470-1, DIN

EN 16121 and DIN EN 16122, EK5/AK4
 21-01:2021 and AfPS GS 2019: 01 PAK Mark of
 approval: GS mark, Product marking: CE, high
 quality mark of approval by TÜV SÜD
 Construction and colour:



PREMIUM line , Type 90

Classical door technology (door handle). For the
 storage of flammable liquids. Type testing by
 MPA/TÜV SÜD according to DIN EN 14470-1, DIN
 EN 14727, EK5/AK4 09-10:2009 and AfPS GS
 2014:01 PAK 3.1 Mark of approval: GS mark,
 Product marking: CE, high quality mark of
 approval by TÜV SÜD Construction and colour:



HSC UTS ERGO LINE , Type 90

Classical door technology (door handle). For the
 combined storage of acids, lye and flammable
 liquids. Type-tested by MPA/TÜV SÜD according
 to DIN EN 14470-1, DIN EN 16121, and DIN EN
 16122 Marks of approval: GS mark, Product
 marking: CE, High Quality mark of approval
 awarded by TÜV SÜD Construction and colour:



SUPREME line safety storage cabinets

DÜPERTHAL safety storage cabinets SUPREME
 line with classic door technology - get in touch!
 To partner portal. info@dueperthal . For a free
 consultation +49 6188 9139-0. DÜPERTHAL . The
 Company . Sustainability and environment .
 News . Webinars . DÜPERTHAL connect .
 Products . Safety storage cabinets .



ECO LINE , Type G30

Classical door technology (door handle). For the storage of pressurised gas cylinders. Type testing by MPA/TÜV SÜD according to DIN EN 14470-2, DIN EN 16121 and DIN EN 16122, EK5/AK4 09-10:2009 and AfPS GS 2014:01 PAK
 Mark of approval: GS mark, Product marking: CE, high quality mark of approval by TÜV SÜD
 Construction and colour:



Safe storage of compressed gas cylinders

Each cabinet model is type-tested in a fire chamber according to DIN EN 14470-2 type G90/type G30. Storage capacity. The maximum storage capacity per safety cabinet including purge gas is 220 litres, a maximum of four gas cylinders with 50 litres each or ...




Safety storage cabinets

```
ga('set', '& cu', 'EUR'); ga('ec:addImpression', {
'name': 'CLASSIC LINE', 'id': '29-201267-030',
'price': '0', 'category': 'Safety storage cabinets',
'list
```



PREMIUM line safety storage cabinets

DÜPERTHAL safety storage cabinets PREMIUM line with folding door technology - get in touch!
 To partner portal. info@dueperthal . For a free consultation +49 6188 9139-0. DÜPERTHAL . The



CLASSIC LINE , Type 90

classical door technology (door handle) for the storage of flammable liquids type testing by MPA/TÜV SÜD according to DIN EN 14470-1, DIN EN 16121 and DIN EN 16122, EK5/AK4 21-01:2021 and AfPS GS 2019: 01 PAK mark of approval: GS mark, Product marking: CE, high quality mark of approval by TÜV SÜD construction and colour:




SUPPLY line , Type 90

For the active storage of flammable liquids. type testing by MPA/TÜV SÜD according to DIN EN 14470-1, DIN EN 14727, EK5/AK4 21-01:2021 and AfPS GS 2019: 01 PAK. Classification of ex-zones according to DIN EN 60079-10.



DÜPERTHAL safety storage cabinets - Fire resistance ...

DÜPERTHAL safety storage cabinets with fire resistance rating Type 90 allow sufficient time for workers to leave the room in the event of a fire and allow the fire brigade sufficient time to get into the laboratory. Just before a smaller ...



Safety cabinets type 90 in detail

Ventilation and venting at every cabinet level with visual inspection of the shut-off dampers, with continuous earthing concept as standard. Increased lifetime for your investment Endurance test in accordance with DIN EN 14727 or newly DIN EN 16121 and DIN EN 16122, even 80,000 instead of 50,000 cycles in the dynamic load test.

ACID line safety storage cabinets

DÜPERTHAL safety storage cabinets ACID line for the storage of acids and lye - get in touch! To partner portal. info@dueperthal . For a free consultation +49 6188 9139-0. DÜPERTHAL . The Company . Sustainability and environment




BASIC line , Type 30





Classical door technology (door handle). For the storage of flammable liquids. Type testing by MPA according to DIN EN 14470-1. Conformity assessment according to: EC Machinery Directive 2006/42/EC Annex II A, DIN EN 16121, DIN EN 16122, Mark of approval: CE mark.



COMFORT line , Type 90

Safety storage cabinets. Type 90 - flammable liquids. Cookie preferences . This website uses cookies, which are necessary for the technical operation of the website and are always set. Other cookies, which increase the comfort when using this website, are used for direct advertising or to facilitate interaction with other websites and social


TAX FREE







Product Model
 HJ-ESS-215A(100KW/215KWh)
 HJ-ESS-115A(50KW 115KWh)

Dimensions
 1600*1280*2200mm
 1600*1200*2000mm

Rated Battery Capacity
 215KWH/115KWH

Battery Cooling Method
 Air Cooled/Liquid Cooled





Safe storage of compressed gas cylinders

Each cabinet model is type-tested in a fire chamber according to DIN EN 14470-2 type G90/type G30. Storage capacity. The maximum storage capacity per safety cabinet including purge gas is 220 litres, a maximum of four gas cylinders with ...

Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://bialydom.kolobrzeg.pl>